

TRIDENT I-VIEW GOLD

SENSOR X SOFTWARE INTEGRATION

Software	I-View Gold Integration Status	Software	I-View Gold Integration Status
ABELDENT	Unknown	GENESIS	No
ADSTRA	Yes Twain	I-DENTSOFT	Yes Twain
APTERYX XV Lite	Yes, Direct integration	IMAGE FX	Yes, Apteryx - Twain
ARQUIMED ITALY	Yes, Direct integration	IMAGE XL	Yes, Direct integration
BELMONTXV	Yes, Direct integration	LINKSVISION PRO	Yes, Direct integration
BENCO ONEVIEW	Unknown	MAXVIEWER	Yes, Direct integration
CADI OPTIMUM	Yes Twain	MEDIADENT	Unknown
CARESTREAM & KODAK	Yes Twain**avoid ver. 7.1, or newer	MIPACS	Yes Twain
CAPTURELINK & SAFECOM	Yes Twain	MOGO	Unknown
CIEOS	Unknown	ORIVIEW	Yes, Direct integration
CLEARIDENT	Unknown	OPEN DENTAL	Yes Twain - Custom installation needed. Customer must be registered
CLEARVISION MIDMARK	Unknown	ORTHO2	Yes Twain
CLOUD9SOFTWARE	Unknown	ORYX	Yes Twain
CURVE HERO/DENTAL	Yes Twain	PATTERSON IMAGING	Yes Twain
CLINIVIEW APTERYX VERSION	Yes, Direct integration	PATIENT GALLERY	Unknown
DBSWIN	Unknown	PROFESSOR SUNI	Yes, Direct integration
DENTALIND	Yes, Direct integration	PROGENY	Unknown
DEEVIEW TRIDENT	Yes, Direct integration	PROIMAGE	Unknown
DENTAL VISION	Unknown	QSI IMAGE	Yes, Direct integration
DENTA EYE	Unknown	ROMEXIS PLANMECA	Unknown
DENTIMAX	Yes, Direct integration	SCHICK CDR	Yes Twain - Require template config. Every exam, likely a dealbreaker
DENTRIX ASCEND	Yes Twain	SIDEXIS XG & SIDEXIS 4	Yes Twain - Single Image Capture only
DENTRIX IMAGE	No	SIGMA IMAGE XRV	Yes, Direct integration
DENT-X PROIMAGE	Unknown	SOPRO IMAGING	Unknown
DENTAL EMR	Unknown	SOTA IMAGE	Unknown
DESCO IMAGING	No	TAB32	Unknown
DEXIS V10	Yes Twain - Require DexRay, IO License	TDO	Unknown
DEXIS V9	Yes Twain - Single Image Capture only	TIGERVIEW	Yes, Direct integration
DIGORA	Unknown	TRACKER	Yes, Direct integration
DIMAXIS PLANMECA	Unknown	UMBIE DENTAL CARE	Unknown
DOLPHIN	Yes Twain	VIXWIN	No
DOVETAIL	Unknown	XDR RADIOGRAPHY	Yes Twain
EAGLESOFT	Yes Twain	XRAYVISION Apteryx	Yes, Direct integration
EVA SOFT	Unknown	XLDENT	Yes, Direct integration
EZDENT- (Vatech)	Yes Twain		

WARNING: THIS PROCEDURE MUST BE DONE FOR A SPECIALIZED TECHNICIAN. WE ARE NOT RESPONSIBLE FOR ANY ACIDENT OR DAMAGE DURING THE PROCEDURE